
Kazuya HATAKEYAMA, *ET AL.*Filed: February 7, 2006

Q93072

For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

FIG.1




Kazuya HATAKEYAMA, ET AL.

Q93072

Filed: February 7, 2006
For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

FIG.2



Q93072

Kazuya HATAKEYAMA, *ET AL.* Q93072
Filed: February 7, 2006
For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

3 OF 13

FIG.3






FIG.4



5 OF 13

FIG.5



Kazuya HATAKEYAMA, *ET AL.* Filed: February 7, 2006

Q93072

For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

6 OF 13

FIG.6





FIG.7



Kazuya HATAKEYAMA, ET AL.

Filed: February 7, 2006

Q93072

For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

FIG.8A




FIG.8B




FIG.9A





FIG.9B



Q93072

Kazuya HATAKEYAMA, ET AL.
Filed: February 7, 2006

For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

FIG.10A




FIG.10B





FIG.11




Kazuya HATAKEYAMA, ET AL.

Q93072

Filed: February 7, 2006
For: METHOD OF MANUFACTURING SUPPORT BODY
FOR PNEUMATIC RUN FLAT TIRE

FIG.12



Kazuya HATAKEYAMA, *ET AL.* Filed: February 7, 2006

Q93072

For: METHOD OF MANUFACTURING SUPPORT BODY FOR PNEUMATIC RUN FLAT TIRE

FIG.13

